

21-day tour of New Zealand with Wrybill Birding Tours, NZ

| | | | Date | 6-Nov | 7-Nov | 8-Nov | 9-Nov | 10-Nov | 11-Nov | 12-Nov | 13-Nov | 14-Nov | 15-Nov | 16-Nov | 17-Nov | 18-Nov | 19-Nov | 20-Nov | 21-Nov | 22-Nov | 23-Nov | 24-Nov | 25-Nov | 26-Nov | No. | Total | |
|--|---|---|---|------------------------------------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|-------|---|
| | | | Day | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | days | | |
| KIWIS - APTERYGIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | E | 1 | Southern brown kiwi | <i>Apteryx australis</i> | | | | | | | | | | | | | | | | X | X | | | | 2 | 1 | |
| 2 | E | 2 | Okarito brown kiwi (Rowi) | <i>Apteryx rowi</i> | | | | | | | | | | | | | X | | | | | | | | 1 | 1 | |
| 3 | E | 3 | Northern brown kiwi | <i>Apteryx mantelli</i> | H | | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| 4 | E | 5 | Great spotted kiwi | <i>Apteryx haastii</i> | | | | | | | | | | | | H | | | | | | | | | 1 | 1 | |
| 5 | E | 3 | Little spotted kiwi | <i>Apteryx owenii</i> | | | | X | | | | | | | | | | | | | | | | | 1 | 1 | |
| PHEASANTS, PARTRIDGES & TURKEYS - PHASIANIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | | 1 | Feral (Wild) turkey | <i>Meleagris gallopavo</i> | X | X | | X | X | X | X | X | | | | | | | | | | | | | 7 | 1 | |
| 7 | | 2 | Indian peafowl (peacock) | <i>Pavo cristatus</i> | | X | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| 8 | | 2 | Common (ring-necked) pheasant | <i>Phasianus colchicus</i> | X | X | | X | X | X | X | | | | | | | | | | | | X | | 7 | 1 | |
| 9 | | 3 | Chukar | <i>Alectoris chukar</i> | | | | | | | | | | | | | | | | | | | | | 0 | 0 | |
| 10 | | 1 | Brown quail | <i>Coturnix ypsilophora</i> | | X | | X | | | | | | | | | | | | | | | | | 3 | 1 | |
| NEW WORLD QUAILS - ODONTOPHORIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | | 1 | California quail | <i>Lophortyx californicus</i> | X | X | | | | | X | X | | | X | X | | | | | | | | | 6 | 1 | |
| SWANS, GEESE, & DUCKS - ANATIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12 | | 2 | Mute swan | <i>Cygnus olor</i> | | | | | | | | X | | | | | | | | | | | | | 1 | 1 | |
| 13 | | 1 | Black swan | <i>Cygnus atratus</i> | X | | | X | X | X | X | X | X | X | | X | X | X | | X | | X | X | X | 16 | 1 | |
| 14 | | 2 | Cape Barren goose | <i>Cereopsis novaehollandiae</i> | | | | | | | | | | | | | | | | | | | | | 0 | 0 | |
| 15 | | 1 | Greylag (feral) goose | <i>Anser anser</i> | X | | | | | X | X | | X | | | | | | | | | | | | 4 | 1 | |
| 16 | | 1 | Canada goose | <i>Branta canadensis</i> | | X | | | | | | X | X | X | | X | X | | X | | | | | X | 11 | 1 | |
| 17 | E | 1 | Paradise shelduck | <i>Tadorna variegata</i> | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 21 | 1 |
| 18 | E | 2 | Blue duck | <i>Hymenolaimus malacorhynchos</i> | | | | | | X | | | | | | | | | | | | | | | 1 | 1 | |
| 19 | | 1 | Grey teal | <i>Anas gracilis</i> | X | X | | X | X | X | X | X | X | X | | X | X | | X | | X | | X | X | 15 | 1 | |
| 20 | E | 1 | Brown teal | <i>Anas chlorotis</i> | | X | | X | X | | | | | | | | | | | | | | | | 4 | 1 | |
| 21 | | 1 | Mallard | <i>Anas platyrhynchos</i> | X | X | | X | X | X | X | X | X | X | X | X | X | | X | | X | | X | X | 16 | 1 | |
| 22 | | 1 | Pacific black (grey) duck | <i>Anas superciliosa</i> | X | | | | | X | | | | X | | | X | | | | | | | | 4 | 1 | |
| 23 | | 1 | Australasian shoveler | <i>Anas rhynchos</i> | X | | | X | X | X | X | X | X | X | | X | X | | X | | X | | X | | 11 | 1 | |
| 24 | E | 1 | New Zealand scaup | <i>Aythya novaeseelandiae</i> | | X | | | X | X | X | X | X | X | | X | X | | X | | X | | X | X | 13 | 1 | |
| GREBES - PODICIPEDIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 25 | | 1 | Great crested grebe | <i>Podiceps cristatus</i> | | | | | | | | | | X | | | | | X | | | | X | | 3 | 1 | |
| 26 | E | 1 | New Zealand dabchick (grebe) | <i>Poliiocephalus rufopectus</i> | X | X | | X | X | X | X | X | | X | | | | | | | | | | | 8 | 1 | |
| 27 | | 2 | Australasian little grebe | <i>Tachybaptus novaehollandiae</i> | | X | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| PENGUINS - SPHENISCIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 28 | E | 3 | Fiordland (New Zealand) crested penguin | <i>Eudyptes pachyrhynchus</i> | | | | | | | | | | | | | | X | | X | | | | | 3 | 1 | |
| 29 | E | 1 | Yellow-eyed penguin | <i>Megadyptes antipodes</i> | | | | | | | | | | | | | | | | X | X | | | | 2 | 1 | |
| 30 | | 1 | Little penguin | <i>Eudyptula minor</i> | | | X | X | | | | | | X | | | | | | | | | | | 3 | 1 | |
| ALBATROSSES - DIOMEDEIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31 | E | 2 | Southern Royal albatross | <i>Diomedea epomophora</i> | | | | | | | | | | | X | | | | | | X | | | | 2 | 1 | |
| 32 | E | 2 | Northern Royal albatross | <i>Diomedea sanfordi</i> | | | | | | | | | | | X | | | | | | | | | | 1 | 1 | |
| 33 | | 5 | Snowy [Wandering] albatross | <i>Diomedea exulans</i> | | | | | | | | | | | | | | | | | | | | | 0 | 0 | |
| 34 | E | 1 | New Zealand [Wandering] albatross | <i>Diomedea antipodensis</i> | | | | | | | | | | | X | | | | | | | | | | 1 | 1 | |
| 35 | E | 3 | Campbell albatross | <i>Thalassarche impavida</i> | | | | | | | | | | | | | | | | X | | | | | 1 | 1 | |
| 36 | | 3 | Black-browed albatross | <i>Thalassarche melanophris</i> | | | | | | | | | | | | | | | | | | | | | 0 | 0 | |
| 37 | E | 1 | White-capped albatross | <i>Thalassarche steadi</i> | | | X | | | | | | X | | X | | | | | X | X | | | | 5 | 1 | |
| 38 | E | 1 | Salvin's albatross | <i>Thalassarche salvini</i> | | | | | | | | | X | | X | | | | | X | X | | | | 4 | 1 | |
| 39 | E | 2 | Buller's albatross | <i>Thalassarche bulleri</i> | | | | | | | | | | | | | | | | | | | | | 0 | 0 | |
| FULMARS, PETRELS, PRIONS & SHEARWATERS - PROCELLARIIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 40 | | 3 | Southern giant-petrel | <i>Macronectes giganteus</i> | | | | | | | | | | | | | | | | | | | | | 0 | 0 | |
| 41 | | 1 | Northern giant-petrel | <i>Macronectes halli</i> | | | X | | | | | | X | X | X | | | | | X | X | | | | 6 | 1 | |

21-day tour of New Zealand with Wrybill Birding Tours, NZ

| | | | | Date | 6-Nov | 7-Nov | 8-Nov | 9-Nov | 10-Nov | 11-Nov | 12-Nov | 13-Nov | 14-Nov | 15-Nov | 16-Nov | 17-Nov | 18-Nov | 19-Nov | 20-Nov | 21-Nov | 22-Nov | 23-Nov | 24-Nov | 25-Nov | 26-Nov | No. | | | |
|--|-----|---|-----------------------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|-------|----|---|
| | | | | Day | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | days | Total | | |
| 42 | 1 | Cape petrel (pigeon) | <i>Daption capense</i> | | | | | | | | | | | | | X | | | | | | X | X | | | 3 | 1 | | |
| 43 | E 2 | Grey-faced petrel | <i>Pterodroma gouldi</i> | | | | | | | | | | | | | X | | | | | | | | | | 1 | 1 | | |
| 44 | E 3 | Mottled petrel | <i>Pterodroma inexpectata</i> | | | | | | | | | | | | | | | | | | | | X | | | 1 | 1 | | |
| 45 | 5 | Black-winged petrel | <i>Pterodroma nigripennis</i> | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 | | |
| 46 | E 1 | Cook's petrel | <i>Pterodroma cookii</i> | | | | X | | | | | | | | | | | | | | | | X | | | 2 | 1 | | |
| 47 | E 3 | Pycroft's petrel | <i>Pterodroma pycrofti</i> | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 | | |
| 48 | 4 | Broad-billed prion | <i>Pachyptila vittata</i> | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 | | |
| 49 | 1 | Fairy prion | <i>Pachyptila turtur</i> | | | | X | | | | | | | X | | | | | | | | X | X | X | | 5 | 1 | | |
| 50 | 2 | White-chinned petrel | <i>Procellaria aequinoctialis</i> | | | | | | | | | | | X | | X | | | | | | X | X | | | 4 | 1 | | |
| 51 | E 1 | Westland petrel | <i>Procellaria westlandica</i> | | | | | | | | | | | X | | X | | | | | | X | X | | | 4 | 1 | | |
| 52 | E 1 | Black (Parkinson's) petrel | <i>Procellaria parkinsoni</i> | | | | X | | | | | | | | | | | | | | | | | | | 1 | 1 | | |
| 53 | E 1 | Buller's shearwater | <i>Puffinus bulleri</i> | | | | X | | | | | | | X | | | | | | | | | | | | 2 | 1 | | |
| 54 | 1 | Flesh-footed shearwater | <i>Puffinus carneipes</i> | | | | X | | | | | | | | | | | | | | | | | | | 1 | 1 | | |
| 55 | 1 | Sooty shearwater | <i>Puffinus griseus</i> | | | | | | | | | | | | | X | | | | | X | X | X | | | 4 | 1 | | |
| 56 | 4 | Short-tailed shearwater | <i>Puffinus tenuirostris</i> | | | | | | | | | | | | | X | | | | | | | | | | 1 | 1 | | |
| 57 | E 1 | Fluttering shearwater | <i>Puffinus gavia</i> | | | | X | | | | | | | X | X | X | | | | | | | | | | 4 | 1 | | |
| 58 | E 1 | Hutton's shearwater | <i>Puffinus huttoni</i> | | | | | | | | | | | X | | X | | | | | | | | | | 2 | 1 | | |
| 59 | 3 | Little shearwater | <i>Puffinus assimilis</i> | | | | X | | | | | | | | | | | | | | | | | | | 1 | 1 | | |
| STORM-PETRELS - HYDROBATIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 60 | 5 | Grey-backed storm-petrel | <i>Garrodia nereis</i> | | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 | |
| 61 | 1 | White-faced storm-petrel | <i>Pelagodroma marina</i> | | | | X | | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| 62 | E 2 | New Zealand storm-petrel | <i>Fregetta maoriana</i> | | | | X | | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| DIVING-PETRELS - PELECANOIDIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63 | 2 | Common diving-petrel | <i>Pelecanoides urinatrix</i> | | | | X | | | | | | | | | | | | | | | X | X | X | | | 4 | 1 | |
| GANNETS & BOOBIES - SULIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 64 | 1 | Australasian gannet | <i>Morus serrator</i> | | X | X | X | X | | | | | | X | X | X | | | | | | | | | | | 7 | 1 | |
| SHAGS & CORMORANTS - PHALACROCORACIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 65 | 1 | Little pied cormorant | <i>Phalacrocorax melanoleucos</i> | | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | | X | X | X | | | 15 | 1 | |
| 66 | 1 | Great cormorant | <i>Phalacrocorax carbo</i> | | X | X | | | | X | X | X | X | X | X | X | X | X | X | | | X | X | X | | | 12 | 1 | |
| 67 | 1 | Pied cormorant (shag) | <i>Phalacrocorax varius</i> | | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | | | X | X | X | | | 13 | 1 | |
| 68 | 1 | Little black cormorant (shag) | <i>Phalacrocorax sulcirostris</i> | | | X | | | X | X | X | X | | | | | | | | | | | | | | | 4 | 1 | |
| 69 | E 2 | New Zealand King shag (Rough-faced cormorant) | <i>Leucocarbo carunculatus</i> | | | | | | | | | | | X | X | | | | | | | | | | | | 2 | 1 | |
| 70 | E 2 | Otago shag | <i>Leucocarbo chalconotus</i> | | | | | | | | | | | | | | | | | | | | X | | X | 2 | 1 | | |
| 71 | E 1 | Foveaux shag | <i>Leucocarbo stewarti</i> | | | | | | | | | | | | | | | | | | | X | X | X | X | 3 | 1 | | |
| 72 | E 1 | Spotted shag | <i>Stictocarbo punctatus</i> | | | | | | | | | | | X | X | X | X | | | | X | X | X | X | X | 8 | 1 | | |
| HERONS, EGRETS, & BITTERNS - ARDEIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 73 | 2 | Great egret (white heron) | <i>Ardea alba</i> | | | | | | | | | | | | | | | X | | | | | | | | | 1 | 1 | |
| 74 | 5 | Cattle egret | <i>Ardea ibis</i> | | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 | |
| 75 | 1 | White-faced heron | <i>Egretta novaehollandiae</i> | | X | X | | X | X | X | X | X | X | X | X | X | X | X | | | X | | X | | X | X | 18 | 1 | |
| 76 | 2 | Eastern reef egret (heron) | <i>Egretta sacra</i> | | X | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| 77 | 3 | Australasian bittern | <i>Botaurus poiciloptilus</i> | | | | | | | | | X | | | | | | | | | | | | | | | 1 | 1 | |
| SPOONBILLS & IBISES - THRESKIORNITHIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 78 | 2 | Royal spoonbill | <i>Platalea regia</i> | | | | | | | X | X | X | X | X | X | X | X | X | | | X | | | | | | 9 | 1 | |
| HAWKS, EAGLES, KITES & HARRIERS - ACCIPTRIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 79 | 1 | Swamp (Australasian) harrier | <i>Circus approximans</i> | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 20 | 1 |
| FALCONS - FALCONIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 80 | E 2 | New Zealand falcon | <i>Falco novaeseelandiae</i> | | | | | | | | | | | | | | | X | | X | | | | | | | 2 | 1 | |

21-day tour of New Zealand with Wrybill Birding Tours, NZ

| | | | | Date | 6-Nov | 7-Nov | 8-Nov | 9-Nov | 10-Nov | 11-Nov | 12-Nov | 13-Nov | 14-Nov | 15-Nov | 16-Nov | 17-Nov | 18-Nov | 19-Nov | 20-Nov | 21-Nov | 22-Nov | 23-Nov | 24-Nov | 25-Nov | 26-Nov | No. | |
|---|---|---|--|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|-------|
| | | | | Day | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | days | Total |
| RAILS - RALLIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 81 | | 2 | Banded (Buff-banded) rail | | | | | X | | | | | | | | | | | | | | | | | | 2 | 1 |
| 82 | E | 1 | Weka | | | | | | | | | | | | X | | | X | | | X | X | | | | 4 | 1 |
| 83 | | 3 | Spotless crane | | | | | X | X | | | | | | | | | | | | | | | | | 2 | 1 |
| 84 | | 3 | Baillon's (marsh) crane | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 |
| 85 | | 1 | Pukeko (Purple swamphen) | | | | | X | X | X | | X | X | X | | X | X | X | | X | | | X | | X | 18 | 1 |
| 86 | E | 2 | South Island takahe | | | | | X | X | | | | | | | | | | | | | | | | | 2 | 1 |
| 87 | | 1 | Eurasian coot | | | | | | | X | X | X | | | X | | X | X | | | | | X | | X | 8 | 1 |
| SNIPES, SANDPIPERS, PHALAROPES & ALLIES - SCOLOPACIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 88 | | 1 | Red knot | | | | | | | X | | | X | X | | | | | | | | | | | | 3 | 1 |
| 89 | | 4 | Curlew sandpiper | | | | | | | X | | | | | | | | | | | | | | | | 1 | 1 |
| 90 | | 3 | Sharp-tailed sandpiper | | | | | | | | | X | | | | | | | | | | | | | | 1 | 1 |
| 91 | | 5 | Pectoral sandpiper | | | | | | | X | | | | | | | | | | | | | | | | 1 | 1 |
| 92 | | 3 | Red-necked stint | | | | | | | X | | | | | | | | | | | | | | | | 1 | 1 |
| 93 | | 1 | Bar-tailed godwit | | | | | X | X | | | | X | X | | | X | | | | | | | | | 9 | 1 |
| 94 | | 1 | Ruddy turnstone | | | | | X | | X | | X | X | X | | | | | | | | | | | | 5 | 1 |
| OYSTERCATCHERS - HAEMATOPODIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 95 | E | 1 | Variable oystercatcher | | | | | X | X | X | | | X | X | | X | X | | X | X | X | X | | | | 15 | 1 |
| 96 | E | 1 | South Island pied oystercatcher | | | | | X | | X | | | X | X | | | | | X | | | X | | X | | 9 | 1 |
| AVOCETS & STILTS - RECURVIROSTRIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 97 | | 1 | Pied (black-winged) stilt | | | | | X | X | X | | X | X | X | | X | X | | | | X | | X | | X | 16 | 1 |
| 98 | E | 2 | Black stilt | | | | | | | | | | | | | | | | | | | | | X | | 1 | 1 |
| PLOVERS, DOTTERELS & LAPWINGS - CHARADRIIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 99 | | 2 | Pacific golden plover | | | | | | X | X | | | X | X | | | | | | | | | | | | 4 | 1 |
| 100 | E | 1 | New Zealand dotterel (Red-breasted plover) | | | | | X | X | | | | | | | | | | | | | | | | | 5 | 1 |
| 101 | E | 1 | Banded dotterel (Double-banded plover) | | | | | X | | X | | X | X | | | X | | | | | | | | X | | 6 | 1 |
| 102 | E | 1 | Wrybill | | | | | | | X | | | | | | | | | | | | | | X | | 2 | 1 |
| 103 | | 2 | Black-fronted dotterel | | | | | | | | | X | X | | | | | | | | | | | | | 2 | 1 |
| 104 | | 1 | Masked lapwing (Spur-winged plover) | | | | | X | X | X | | X | X | X | | X | X | X | | X | | X | | X | | 20 | 1 |
| SKUAS & JAEGERS - STERCORARIIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 105 | | 1 | Southern (Brown) skua | | | | | | | | | | | | | | | | | | | X | | | | 1 | 1 |
| 106 | | 2 | Parasitic jaeger (Arctic skua) | | | | | X | | | | | X | X | | | | | | | | | | | | 3 | 1 |
| GULLS - LARIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 107 | | 1 | Kelp (Black-backed) gull | | | | | X | X | X | | X | X | X | | X | X | X | | X | X | X | X | X | X | 21 | 1 |
| 108 | E | 1 | Red-billed gull | | | | | X | X | | | X | X | X | | X | X | X | | X | X | X | X | X | X | 19 | 1 |
| 109 | E | 1 | Black-billed gull | | | | | | | X | | X | | | | X | X | | | X | X | X | X | X | X | 12 | 1 |
| TERNs - STERNIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 110 | | 3 | Grey ternlet (blue noddy) | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 |
| 111 | | 4 | Little tern | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 |
| 112 | | 2 | Fairy tern | | | | | X | | | | | | | | | | | | | | | | | | 1 | 1 |
| 113 | | 1 | Caspian tern | | | | | X | X | X | | X | X | | | X | | | | X | | | | | | 8 | 1 |
| 114 | E | 1 | Black-fronted tern | | | | | | | | | | | | | X | | | | X | | | | X | X | 5 | 1 |
| 115 | | 1 | White-fronted tern | | | | | X | | X | | X | X | X | | X | X | X | | X | X | X | X | X | X | 15 | 1 |
| 116 | | 4 | Antarctic tern | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 |
| PIGEONS & DOVES - COLUMBIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 117 | | 1 | Rock (feral) pigeon | | | | | X | X | X | | X | X | X | | X | X | X | | X | X | X | X | X | X | 18 | 1 |
| 118 | | 3 | Barbary (African collared) dove | | | | | X | | | | X | | | | | | | | | | | | | | 4 | 1 |
| 119 | | 2 | Spotted dove | | | | | X | X | X | | X | | | | | | | | | | | | | | 5 | 1 |

21-day tour of New Zealand with Wrybill Birding Tours, NZ

| | | | Date | 6-Nov | 7-Nov | 8-Nov | 9-Nov | 10-Nov | 11-Nov | 12-Nov | 13-Nov | 14-Nov | 15-Nov | 16-Nov | 17-Nov | 18-Nov | 19-Nov | 20-Nov | 21-Nov | 22-Nov | 23-Nov | 24-Nov | 25-Nov | 26-Nov | No. | | | |
|---|---|---|---------------------------|-------------------------------------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|-------|----|---|
| | | | Day | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | days | Total | | |
| 120 | E | 1 | New Zealand pigeon | <i>Hemiphaga novaeseelandiae</i> | X | X | X | X | X | X | X | | | | | | | X | X | X | X | X | X | | 16 | 1 | | |
| NEW ZEALAND PARROTS - STRIGOPOIDEA | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 121 | E | 1 | New Zealand kaka | <i>Nestor meridionalis</i> | | H | | | X | X | | | | | | | | H | | X | X | X | | | | 7 | 1 | |
| 122 | E | 1 | Kea | <i>Nestor notabilis</i> | | | | | | | | | | | | X | X | X | X | | | | | | | 4 | 1 | |
| COCKATOOS - CACATUOIDEA | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 123 | | 4 | Sulphur-crested cockatoo | <i>Cacatua galerita</i> | | | | | | | | | | | | | | | | | | | | | | 0 | 0 | |
| TRUE PARROTS - PSITTACOIDEA | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 124 | | 2 | Eastern rosella | <i>Platycercus eximius</i> | X | X | | X | | | X | | | | | | | | | | | | | | | 5 | 1 | |
| 125 | | 1 | Red-crowned parakeet | <i>Cyanoramphus novaeseelandiae</i> | | H | | X | | | | | | | | | | | | X | X | X | | | | 6 | 1 | |
| 126 | E | 1 | Yellow-crowned parakeet | <i>Cyanoramphus auriceps</i> | | | | | X | X | | | | | | | | | | X | | | | | | 3 | 1 | |
| 127 | E | 4 | Orange-fronted parakeet | <i>Cyanoramphus malherbi</i> | | | | | | | | | | X | | | | | | | | | | | | 1 | 1 | |
| CUCKOOS - CUCULIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 128 | | 2 | Shining bronze-cuckoo | <i>Chalcites lucidus</i> | | | | | | | H | | | | | | | | | | | | | | | 1 | 1 | |
| 129 | | 2 | Long-tailed cuckoo (koel) | <i>Eudynamys taitensis</i> | | | | | | X | | | | | | | | | | | | X | | | | 2 | 1 | |
| TYPICAL OWLS - STRIGIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 130 | | 1 | Morepork | <i>Ninox novaeseelandiae</i> | X | | | X | | | | | | | | | X | | | | X | | | | | 4 | 1 | |
| 131 | | 2 | Little owl | <i>Athene noctua</i> | | | | | | | | | | | X | | | | | | | | | | | 1 | 1 | |
| TREE KINGFISHERS - HALCYONIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 132 | | 3 | Laughing kookaburra | <i>Dacelo novaeguineae</i> | | X | | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| 133 | | 1 | Sacred kingfisher | <i>Todiramphus sanctus</i> | X | X | X | X | X | X | X | X | X | X | | X | | | | | | | | X | | 13 | 1 | |
| NEW ZEALAND WRENS - ACANTHISITTIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 134 | E | 1 | Rifleman | <i>Acanthisitta chloris</i> | | | | | | | X | | | | | X | X | X | | X | | | | | | 5 | 1 | |
| 135 | E | 2 | Rock (South Island) wren | <i>Xenicus gilviventris</i> | | | | | | | | | | | | | | | X | | | | | | | 1 | 1 | |
| NEW ZEALAND WATTLEBIRDS - CALLAEIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 136 | E | 2 | North Island kokako | <i>Callaeas wilsoni</i> | | | | X | X | | | | | | | | | | | | | | | | | 2 | 1 | |
| 137 | E | 1 | North Island saddleback | <i>Philesturnus rufusater</i> | | X | | X | X | | | | | | | | | | | | | | | | | 3 | 1 | |
| 138 | E | 1 | South Island saddleback | <i>Philesturnus carunculatus</i> | | | | | | | | | | X | | | | | | X | | | | | | 2 | 1 | |
| STITCHBIRD - NOTIOMYSTIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 139 | E | 1 | Stitchbird (Hihi) | <i>Notiomystis cincta</i> | | | | X | X | | | | | | | | | | | | | | | | | 2 | 1 | |
| GERYGONES - ACANTHIZIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 140 | E | 1 | Grey gerygone (warbler) | <i>Gerygone igata</i> | X | X | | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | | 16 | 1 | |
| HONEYEATERS - MELIPHAGIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 141 | E | 1 | New Zealand bellbird | <i>Anthornis melanura</i> | | X | | X | X | X | X | | | X | | X | X | X | X | X | | X | | X | | 13 | 1 | |
| 142 | E | 1 | Tui | <i>Prothemadera novaeseelandiae</i> | X | X | | X | X | X | X | | X | X | | | X | X | X | X | X | X | X | | | 15 | 1 | |
| NEW ZEALAND CREEPERS - MOHOUIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 143 | E | 1 | Whitehead | <i>Mohoua albicilla</i> | | X | | X | X | X | X | | | | | | | | | | | | | | | 6 | 1 | |
| 144 | E | 2 | Yellowhead | <i>Mohoua ochrocephala</i> | | | | | | | | | | | | | | | | X | | | | | | 1 | 1 | |
| 145 | E | 1 | Brown creeper (Pipipi) | <i>Mohoua novaeseelandiae</i> | | | | | | | | | | | | X | X | X | | X | | | | | | 4 | 1 | |
| BELL MAGPIES - CRACTICIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 146 | | 1 | Australian magpie | <i>Gymnorhina tibicen</i> | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 20 | 1 |
| FANTAILS - RHPIDURIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 147 | E | 1 | New Zealand fantail | <i>Rhipidura fuliginosa</i> | X | X | | X | X | X | X | | | X | X | X | X | X | X | X | X | X | X | X | X | 18 | 1 | |

21-day tour of New Zealand with Wrybill Birding Tours, NZ

| | | | Date | 6-Nov | 7-Nov | 8-Nov | 9-Nov | 10-Nov | 11-Nov | 12-Nov | 13-Nov | 14-Nov | 15-Nov | 16-Nov | 17-Nov | 18-Nov | 19-Nov | 20-Nov | 21-Nov | 22-Nov | 23-Nov | 24-Nov | 25-Nov | 26-Nov | No. | | |
|---|---|---|----------------------------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|-------|---|
| | | | Day | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | days | Total | |
| CROWS, RAVENS & JAYS - CORVIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 148 | | 3 | Rook | | | | | | | | | | | | | | | | | | | | | | 0 | 0 | |
| AUSTRALASIAN ROBINS - PETROICIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 149 | E | 1 | New Zealand tomtit | | | | | | | H | X | | | | | X | X | X | X | X | | | | | 7 | 1 | |
| 150 | E | 1 | North Island robin | | | | X | X | X | X | X | | | | | | | | | | | | | | 5 | 1 | |
| 151 | E | 1 | South Island robin | | | | | | | | | | | | | | X | | | X | | | | | 3 | 1 | |
| LARKS - ALAUDIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 152 | | 1 | Eurasian skylark | X | X | | X | X | X | | X | X | X | X | X | X | X | | X | X | | X | X | X | 17 | 1 | |
| GRASS-WARBLERS & ALLIES - LOCUSTELLIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 153 | E | 1 | Fernbird | | | | X | X | | X | X | | | | | | X | | | | | | | | 5 | 1 | |
| WHITE-EYES - ZOSTEROPIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 154 | | 1 | Silvereye (Waxeye) | X | X | | | X | X | X | X | | X | X | X | X | X | X | | X | | | | X | 14 | 1 | |
| SWALLOWS & MARTINS - HIRUNDINIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 155 | | 1 | Welcome swallow | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 20 | 1 |
| THRUSHES - TURDIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 156 | | 1 | Eurasian blackbird | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 21 | 1 |
| 157 | | 1 | Song thrush | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 21 | 1 |
| STARLINGS - STURNIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 158 | | 1 | Common starling | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 21 | 1 |
| 159 | | 1 | Common myna | X | X | X | X | X | X | X | X | X | | | | | | | | | | | | | 9 | 1 | |
| TRUE SPARROWS - PASSERIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 160 | | 1 | House sparrow | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 21 | 1 |
| WAGTAILS & PIPITS - MOTACILLIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 161 | E | 1 | New Zealand pipit | | | | | | | | | X | | | | | | | X | | | X | X | | 4 | 1 | |
| ACCENTORS - PRUNELLIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 162 | | 1 | Dunnock | X | | | | | | | | | | | X | X | X | X | | X | | X | X | | 8 | 1 | |
| TRUE FINCHES - FRINGILLIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 163 | | 1 | Common chaffinch | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 20 | 1 |
| 164 | | 1 | European goldfinch | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 18 | 1 |
| 165 | | 1 | European greenfinch | | | | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 12 | 1 |
| 166 | | 1 | Lesser redpoll | | | | | | | | | | | | | X | X | | X | X | | X | X | X | 7 | 1 | |
| BUNTINGS & AMERICAN SPARROWS - EMBERIZIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 167 | | 1 | Yellowhammer | X | X | | | | | X | X | X | X | X | X | X | | | X | X | | X | X | X | 14 | 1 | |
| 168 | | 3 | Cirl bunting | | | | | | | | | | | | | | | | | | | | | | 0 | 0 | |
| ADDITIONAL BIRD SPECIES | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Wilson's Storm Petrel | | | X | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| | | | NZ Shore Plover | | | | | | | | | X | | | | | | | | | | | | | 1 | 1 | |
| | | | Plumed Whistling Duck | | | | | | | | X | | | | | | | | | | | | | | 1 | 1 | |
| | | | Common Tern | | | | | | | | | X | | | | | | | | | | | | | 1 | 1 | |
| | | | Hoary-headed Grebe | | | | | | | | | | | X | | | | | | | | | | | 1 | 1 | |
| | | | Chestnut-breasted Shelduck | | | | | | | | | | | | | | | | X | | | | | | 1 | 1 | |
| | | | Pink-footed Shearwater | | | | | | | | | | | | | | | | | | X | | | | 1 | 1 | |
| TOTAL | | | | 56 | 54 | 36 | 50 | 53 | 59 | 51 | 59 | 52 | 56 | 51 | 46 | 50 | 50 | 32 | 36 | 62 | 40 | 56 | 43 | 30 | 157 | | |

E = Endemic 1 = highly likely, 2= likely, 3 = probable, 4 = possible, 5 = forget it!